

2015 年

Simamura E, Arikawa T, Ikeda T, Shimada H, Shoji H, Masuta H, Nakajima Y, Otani H, Yonekura H, Hatta T

Melanocortins contribute to sequential differentiation and enucleation of human erythroblasts via melanocortin receptors 1, 2 and 5.
PloS One 2015 Apr 10;10(4):e0123232.

Jahan E, Rafiq AM, Otani H

In utero and exo utero fetal surgery on histogenesis of organs (in animals).
World Journal of Surgical Procedures, (ESPS Manuscript NO: 14293), 2015 in press

Kagohashi Y, Otani H

Role of nutritional factors at the early life stages in the pathogenesis and clinical course of type 1 diabetes.
BioMed Research International, 2015 in press

Miyaoka T, Furuya M, Horiguchi J, Wake R, Hashioka S, Thoyama M, Murotani K, Mori N, Minabe Y, Uyo M, Ueno S, Ezoe S, Hoshino S, Seno H

Efficacy and safety of yokukansan in treatment-resistant schizophrenia: a randomized, multicenter, double-blind, placebo-controlled trial.
Evidence-Based Complementary and Alternative Medicine, 2015 in press

大谷 浩

ヒト・マウスの器官形成と組織形成における正常と異常.
日本周産期・新生児医学会雑誌 50(4):1153-1155, 2015

2014 年

Naito K, Notsu A, Udagawa J, Otani H

Statistical analysis with dilatation for development process of human fetuses.
Stat Methods Med Res, 2014 doi:10.1177/0962280214543405

Nishita M, Qiao S, Miyamoto M, Okinaka Y, Yamada M, Hashimoto R, Iijima K, Otani H,
Hartmann C, Nishinakamura R, Minami Y

Role of Wnt5a-Ror2 signaling in morphogenesis of the metanephric mesenchyme during
ureteric budding.
Mol Cell Biol. 34:3096-3105, 2014

Jahan E, Matsumoto A, Rafiq AM, Hashimoto R, Inoue T, Udagawa J, Sekine J, Otani H

Fetal jaw movement affects Ihh signaling in mandibular condylar cartilage development: The
possible role of Ihh as mechanotransduction mediator.
Archives of Oral Biology 59:1108-1118, 2014

Inoue T, Hashimoto R, Matsumoto A, Jahan E, Rafiq AM, Udagawa J, Hatta T, Otani H

In vivo analysis of Arg-Gly-Asp sequence/integrin $\alpha 5\beta 1$ -mediated signal involvement in
embryonic enchondral ossification by *ex utero* development system.
J Bone Miner Res 29:1554-1563, 2014

Tatsumi H, Hideshima H, Kanno T, Hashimoto R, Matsumoto A, Otani H, Sekine J

Effect of ageing on healing of bilateral mandibular condyle fractures in a rat model.
Int J Oral Maxillofac Surg 43:185-193, 2014

Inoue T, Hashimoto M, Katakura M, Tanabe Y, Al Mamun A, Matsuzaki K, Otani H, Shido O
Effect of chronic administration of arachidonic acid on lipid profiles and morphology in
the skeletal muscles of aged rats.

Prostaglandins Leukot Essent Fatty Acids (PLEFA) 91:119-127, 2014

Furuya M, Miyaoka T, Hashioka S, Wake R, Tsuchie K, Horiguchi J

Yokukansan increases serum brain-derived neurotrophic factor (BDNF) levels in Gunn
rat.
J Brain Sci 44:34-41, 2014

籠橋有紀子、大谷 浩

母体環境の違いによる I 型糖尿病モデルマウス仔の病態進行への影響 第 1 報.
島根県立大学短期大学部松江キャンパス研究紀要 52: 13-19, 2014

橋本龍樹、横田茂文、井上隆之、岡 達郎、松本暁洋、安井幸彦、大谷 浩

Ai の系統解剖学実習への導入.
Innervision 29:49-51, 2014

倉本純子、井上隆之、元矢知志、小川典子、古屋智英、野村正人、大谷 浩

合成ノビレチンの経口投与によるラット真皮への影響.
近畿大学工学部研究報告 48:13-17, 2014

2013 年

Yamada M, Udagawa J, Hashimoto R, Matsumoto A, Hatta T, Otani H
Interkinetic nuclear migration during early development of midgut and ureteric epithelia.
Anat Sci Int 88: 31-37, 2013

Hashimoto R, Matsumoto A, Udagawa J, Hioki K, Otani H
Effect of leptin administration on myelination in *ob/ob* mouse cerebrum after birth.
Neuroreport 24(1): 22-29, 2013

Liang S, Tanabe K, Niu Y, Otani H
Histological changes in the developing heart of human fetuses.
Shimane J Med Sci 30:1-10, 2013

大谷 浩
上皮管腔組織の器官形成と組織形成の解析.
島根医学 33:170-179, 2013

籠橋有紀子、大谷 浩
妊娠・授乳母体の脂質栄養が仔の1型糖尿病発症に及ぼす影響.
脂質栄養学 22: 35-43, 2013

2012 年

Rafiq AM, Udagawa J, Lundth T, Jahan E, Matsumoto A, Sekine J, Otani H
Mathematical analysis of mandibular morphogenesis by micro-CT-based mouse and alizarin red S-stained-based human studies during development.
Anat Rec 295: 313-327, 2012

Arikawa T, Simamura E, Shimada H, Nishi N, Tatsuno T, Ishigaki Y, Tomosugi N, Yamashiro C, Hata T, Takegami T, Mogami H, Yamaguchi K, Nakamura T, Otani H, Hatta T, Shoji H
Expression pattern of galectin 4 in rat placentation.
Placenta 33: 885-887, 2012

2011 年

- Hashimoto R, Udagawa J, Kagohashi Y, Matsumoto A, Hatta T, Otani H
Direct and indirect effects of neuropeptide Y and neurotrophin 3 on myelination in the neonatal brains.
Brain Res 1373: 55-66, 2011
- Lundh T, Udagawa J, Hänel SE, Otani H
Cross- and triple-ratios of human body parts during development.
Anat Rec 294: 1360-1369, 2011
- Simamura E, Shimada H, Shoji H, Otani H, Hatta T
Effects of melanocortins on fetal development.
Congenit Anom 51: 47-54, 2011
- Kawamoto M, Udagawa J, Hashimoto R, Matsumoto A, Yamada M, Nimura M, Otani H
Adrenocorticotropin tumor cells transplanted into mouse embryos affect pancreatic histogenesis.
Congenit Anom 51: 62-69, 2011
- Zhang Q, Wang H, Udagawa J, Otani H
Morphological and morphometric study on sphenoid and basioccipital ossification in normal human fetuses.
Congenit Anom 51: 138-148, 2011
- Matsumoto A, Hatta T, Ono A, Hashimoto R, Otani H
Stage-specific changes in the levels of granulocyte-macrophage colony-stimulating factor and its receptor in the biological fluid and organ of mouse fetuses.
Congenit Anom 51: 183-186, 2011
- 井上隆之、橋本龍樹、岩本凡子、大谷 浩
ヒト関節拘縮病態の解剖学的観察、解析方法の検討—解剖学実習体による検討—。
理学療法学 38: 173-179, 2011

2010 年

Yamada M, Udagawa J, Matsumoto A, Hashimoto R, Hatta T, Nishida M, Minami Y, Otani H
Ror2 is required for midgut elongation during mouse development.
Developmental Dynamics 239: 941-953, 2010

Jahan E, Matsumoto A, Udagawa J, Rafiq AM, Hashimoto R, Rahman OI, Habib H, Sekine J, Otani H
Effects of restriction of fetal jaw movement on prenatal development of the temporalis muscle.
Archives of Oral Biology 55: 919-927, 2010

Simamura E, Shimada H, Higashi N, Uchishiba M, Otani H, Hatta T
Maternal leukemia inhibitory factor (LIF) promotes fetal neurogenesis via a LIF-ACTH-LIF signaling relay pathway.
Endocrinology 151: 1853-1862, 2010

Udagawa J, Yasuda A, Naito K, Otani H
Analysis of the harmonized growth pattern of fetal organs by multidimensional scaling and hierarchical clustering.
Congenit Anom 50: 175-185, 2010

Otani H, Udagawa J, Hatta T, Kagohashi Y, Hashimoto R, Matsumoto A, Satow F, Nimura M
Individual variation in organ histogenesis as a causative factor in the developmental origins of health and disease: Unnoticed congenital anomalies?
Congenit Anom 50: 205-211, 2010

Kagohashi Y, Abiru N, Kobayashi M, Hashimoto M, Shido O, Otani H
Maternal dietary n-6/n-3 fatty acid ratio affects type 1 diabetes development in the offspring of NOD mice.
Congenit Anom 50: 212-220, 2010

Kagohashi Y, Otani H
Diet with a low n-6/n-3 essential fatty acid ratio when started immediately after the onset of overt diabetes prolongs survival of type 1 diabetes model NOD mice.
Congenit Anom 50: 226-231, 2010

Naito K, Udagawa J, Otani H
Multidimensional standard curve for the development process of human fetuses.
Statistics in Medicine 29: 2235-2245, 2010

Udagawa J, Ono A, Kawamoto M, Otani H
Leptin and its intracellular signaling pathway maintain the neurosphere.
NeuroReport 21: 1140-1145, 2010

Mu Q, Udagawa J, Sun T, Otani H
Possible roles of leptin in the early stage of prenatal development of the mouse cerebellum.
Shimane J Med Sci 27: 1-7, 2010

長島玲子、合田典子、宇田川 潤、大谷 浩
出産後尿失禁の慢性化予防を目的とする骨盤底筋訓練の効果の形態学的評価.
日本女性骨盤底医学会誌 7: 55-62, 2010

2009 年

Fukazawa I, Hatta T, Uchio Y, Otani H
Development of the meniscus of the knee joint in human fetuses.
Congenit Anom 49:27-32, 2009

Kimura M, Umehara T, Udagawa J, Kawauchi H, Otani H
Development of olfactory epithelium in the human fetus: scanning electron microscopic observations.
Congenit Anom 49: 102-107, 2009

Umehara T, Udagawa J, Takamura K, Kimura M, Ishimitsu R, Kiyono H, Kawauchi H, Otani H
Role of interleukin-15 in development of the mouse olfactory nerve.
Congenit Anom 49: 253-257, 2009

2008 年

Nakamura K, Ichise H, Nakao K, Hatta T, Otani H, Sakagami H, Kondo H, Katsuki M
Partial functional overlap of the three *ras* genes in mouse embryonic development.
Oncogene 27: 2961-2968, 2008

Otani H, Udagawa J, Lundh T, Hatta T, Hashimoto R, Matsumoto A, Satow F
Morphometric study on the characteristic external features of normal and abnormal human embryos.
Congenit Anom 48: 18-28, 2008

Nimura M, Udagawa J, Otani H
Adrenocorticotrophic hormone affects nonapoptotic cell death of undifferentiated germ cells in fetal mouse testis. : *In vivo* study by *ex vivo* transplantation of corticotrophic tumor cells into embryos.
Congenit Anom 48: 81-86, 2008

Yamada M, Hatta T, Otani H
Mouse *ex vivo* development system: protocol and troubleshooting.
Congenit Anom 48: 183-187, 2008

Kawamoto M, Kawakami K, Otani H
Effects of phytoncides on spontaneous activities and sympathetic stress responses in Wistar Kyoto and stroke-prone spontaneously hypertensive rats.
Shimane J Medical Science 25: 7-12, 2008

大谷 浩

生活習慣病の素因としての全身臓器の組織形成の解析 —臓器の組織形成と疾病素因—.

島根医学 28: 266-279, 2008

籠橋有紀子、大谷 浩、帯刀礼子

糖尿病発症マウス母体から発生した奇形児の細胞遺伝学的・組織学的解析.

島根県立大学短期大学部松江キャンパス研究紀要 46: 27-33, 2008

川上浩平、下崎俊介、頓宮美樹、野村正人、小林裕太、高橋節典、大谷 浩、山田高也

ラットの血中エタノール濃度に及ぼすフィトンチッドの影響.

九州実験動物雑誌 24: 33-38, 2008

2007 年

Ose T, Kadowaki Y, Fukuhara H, Kazumori H, Ishihara S, Udagawa J, Otani H, Takasawa S, Okamoto H, Kinoshita Y

Reg I-knockout mice reveal its role in regulation of cell growth that is required in generation and maintenance of the villous structure of small intestine.

Oncogene 26: 349-359, 2007

Oki S, Hashimoto R, Okui Y, Shen MM, Mekada E, Otani H, Saijoh Y, Hamada H

Sulfated glycosaminoglycans are necessary for Nodal signal transmission from the node to the left lateral plate in the mouse embryo.

Development 134: 3893-3904, 2007

Habib H, Hatta T, Rahman OI, Yoshimura Y, Otani H

Fetal jaw movement affects development of articular disk in the temporomandibular joint.

Congenit Anom 47: 53-57, 2007

Hatta T, Satow F, Hatta J, Hashimoto R, Udagawa J, Matsumoto A, Otani H

Development of the Pons in Human Fetuses.

Congenit Anom 47: 63-67, 2007

Udagawa J, Hatta T, Hashimoto R, Otani H

Roles of leptin in prenatal and perinatal brain development.

Congenit Anom 47: 77-83, 2007

Otani H

Development of the brain as an integral part of harmonized systemic histogenesis.

J Brain Science 33: 1-6, 2007

大谷 浩

膵臓を含む調和的な組織形成と子宮内環境.

糖尿病と妊娠 7: 17-22, 2007

籠橋有紀子、橋本龍樹、大谷 浩、名和田清子
脂肪酸摂取法の違いによる食生活改善における有効性の差異について.
島根女子短期大学紀要 45: 1-7, 2007

籠橋有紀子、大谷 浩
短期および長期的な食餌環境が血中脂肪酸組成に与える影響について.
島根女子短期大学紀要 45: 9-16, 2007

八田俊久、山田真紀子、島田英理子、島田ひろき、二村正行、松本暁洋、宇田川 潤、
橋本龍樹、東 伸明、大谷 浩
マウス胎児子宮外発生法.
金沢医科大雑誌 32: 16-21, 2007

籠橋有紀子、大谷 浩
母体環境と I 型糖尿病発症について —NOD マウスを用いた解析—.
糖尿病と妊娠 7: 23-29, 2007

2006 年

Udagawa J, Hashimoto R, Suzuki H, Hatta T, Sotomaru Y, Hioki K, Kagohashi Y, Nomura T, Minami Y, Otani H
The role of leptin in the development of the cerebral cortex in mouse embryos.
Endocrinology 147: 647-658, 2006

Udagawa J, Hashimoto R, Hioki K, Otani H
The role of leptin in the development of the cortical neuron in mouse embryos.
Brain Research 1120: 74-82, 2006

Nimura M, Udagawa J, Hatta T, Hashimoto R, Otani H
Spatial and temporal patterns of expression of melanocortin type 2 and 5 receptors in the fetal mouse tissues and organs.
Anatomy and Embryology 211: 109-117, 2006

Chou SJ, Hermes E, Hatta T, Feltner D, Heithem M, Hodiri HM, Jamrich M, Mahon K
Conserved regulatory elements establish the dynamic expression of *Rpx/Hesx1* in early vertebrate development.
Developmental Biology 292: 533-545, 2006

Hatta J, Hatta T, Moritake K, Otani H
Heavy water inhibiting the expression of transforming growth factor- β_1 and the development of kaolin-induced hydrocephalus in mice.
J Neurosurg (4 Suppl Pediatrics) 104: 251-258, 2006

Hatta T, Matsumoto A, Ono A, Udagawa J, Nimura M, Hashimoto R, Otani H
Quantitative analyses of leukemia inhibitory factor in the cerebrospinal fluid in mouse embryos.
NeuroReport 17: 1863-1866, 2006

Udagawa J, Nimura M, Otani H
Leptin affects oligodendroglial development in the mouse embryonic cerebral cortex.
Neuroendocrinology Letters 27: 177-182, 2006

Udagawa J, Nimura M, Kagohashi Y, Otani H
Leptin deficiency causes pycnotic change in fetal cingulate cortical cells.
Congenit Anom 46: 16-20, 2006

Tatewaki R, Kagihashi Y, Otani H
Analysis of polyploid cells in mouse embryonic cells cultures under diabetic conditions.
Congenit Anom 46: 149-154, 2006

Suzuki H, Ishimoto K, Tashiro H, Tashiro M, Udagawa J, Prakash SGK, Olah GA
Reduction of quinoline with Raney Nickel alloy in acetic acid aqueous solution.
The Japanese Journal of Deuterium Science 12: 45-47, 2006

Nimura M, Otani H
A gynandromorph of *Papilio memnon agenor* Linnaeus (Papilionidae) from the Lao P.D.R.
Trans lepid Soc Japan 57: 105-110, 2006

川上浩平、河本 舞、堀江哲史、三原安経、野村正人、山田高也、小林裕太、大谷 浩
室内環境におけるフィトンチッドの消臭効果の検討。
環境管理技術 24: 17-22, 2006

2005 年

Kagohashi Y, Udagawa J, Abiru N, Kobayashi M, Moriyama K, Otani H
Maternal factors in a model of type 1 diabetes differentially affect development of insulinitis and overt diabetes in offspring.
Diabetes 54: 2026-2031, 2005

Habib H, Hatta T, Udagawa J, Zhang L, Yoshimura Y, Otani H
Fetal jaw movement affects condylar cartilage development.
J Dental Research 84: 474-479, 2005

Kanda H, Tamori Y, Shinoda H, Yoshikawa M, Sakaue M, Udagawa J, Otani H, Tashiro F, Miyazaki J, and Kasuga M
Adipocytes from Munc18c-null mice show increased sensitivity to insulin-stimulated GLUT4 externalization.
J Clin Invest 115: 291-301, 2005

Kurahashi H, Taniguchi M, Meno C, Taniguchi Y, Takeda S, Horie M, Otani H, Toda T
Basement membrane fragility underlies embryonic lethality in *fukutin*-null mice.
Neurobiology of Disease 19: 208-2107, 2005

Kagohashi Y, Udagawa J, Moriyama K, H. Otani H
Maternal environment affects endogenous virus induction in the offspring of NOD mice.
Congenit Anom 45: 80-84, 2005

Nimura M, Wakahara H
Butterflies of the central Lao P.D.R. in the low temperature and dry season (1997-2001).
Trans lipid Soc Japan 56: 36-50, 2005

大谷 浩
神経・免疫・内分泌ネットワーク形成機構の解析：胎生期における ACTH の新たな
機能を探る.
ACTH Related Peptides 16: 1-9, 2005

二村正之
島根医科大学大学開放事業「Jr.サイエンス&ものづくり」実践報告書.
実践生物教育研究 40: 12-16, 2005